

文 献

- [1] J. F. Adams, On the non-existence of elements of the Hopf invariant one, Ann. of Math., **72** (1960), 20--104.
- [2] M. Arkowitz, Co-H-spaces, Handbook of algebraic topology, 1143-1173, North Holland, Amsterdam, 1995.
- [3] M. Arkowitz and G. Lupton, Homotopy actions, cyclic maps and their duals, Homology, Homotopy and Applications, **7** (2005), 169--184
- [4] M. Arkowitz and D. Stanley, The cone length of a product of co-*H*-spaces and a problem of Ganea, Bull. London Math. Soc. **33** (2001), 735--742.
- [5] John C. Baez, James Dolan, Higher-dimensional algebra III: n-categories and the algebra of opetopes, Advances in Mathematics **135** (1998), 145--206.
- [6] John C. Baez, James Dolan, Categorification. In ``Higher Category Theory'', eds. Ezra Getzler and Mikhail Kapranov. Contemporary Mathematics vol. 230, Amer. Math. Soc., 1998, 1--36.
- [7] Batanin:A-infinity Mikhail A. Batanin, Homotopy coherent category theory and  $A_\infty$ -structures in monoidal categories, Journal of Pure and Applied Algebra **123** (1998), 67--103.
- [8] H. Bass, Projective modules over free groups are free, J. of Algebra **1** (1964), 367--373.
- [9] H. Bass, Algebraic *K*-theory, Benjamin, Amsterdam, 1968.
- [10] M. Bendersky, A functor which localizes the higher homotopy groups of an arbitrary CW-complex, Lecture Notes in Math. 418, Springer Verlag, Berlin (1975), 13--21.
- [11] I. Berstein, Homotopy mod C of spaces of category 2, Comment. Math. Helv. **35** (1961), 9--15.
- [12] I. Berstein and E. Dror, On the homotopy type of non-simply connected co-H-space, Ill. Jour. Math. **20** (1976), 528--534.
- [13] I. Berstein and T. Ganea, The category of a map and of a cohomology class, Fund. Math. **50** (1961/62), 265--279.
- [14] I. Berstein and P. J. Hilton, Category and generalized Hopf invariants, Illinois. J. Math. **4** (1960), 437--451.
- [15] J. M. Boardman and B. Steer, On Hopf invariants, Comment. Math. Helv. **42** (1967), 180--221.
- [16] J. M. Boardman and R. M. Vogt, Homotopy-everything *H*-spaces, Bull. Amer. Math. Soc. **74** (1968), 1117--1122.
- [17] A. K. Bousfield and D. M. Kan, Homotopy Limits, Completions and Localizations, Lecture Notes in Math. 304, Springer Verlag, Berlin (1972).
- [18] A. Borel, Topics in the homology theory of fibre bundles, Lect. Notes in Math. **36**, Springer Verlag, Berlin (1967).
- [19] M. Brittenham, Life gets better as n gets larger (topology-style) The (continuing) saga of the Poincare Conjecture, <http://www.math.unl.edu/~mbritten/lst/poincare.html>.
- [20] F. E. Browder, Problems of present day mathematics, in ``Mathematical developments arising from Hilbert problems'' (De Kalb, IL, 1974), 35--79, Amer. Math. Soc., Providence, RI, 1976.
- [21] W. Browder, Torsion in H-spaces, Ann. of Math. **74** (1961), 24--51.

- [22] P. M. Cohn, Free ideal rings, *J. of Algebra* **1** (1964), 47--69.
- [23] O. Cornea, Cone-length and Lusternik-Schnirelmann category, *Topology* **33** (1994), 95--111.
- [24] O. Cornea, There is just one rational cone-length, *Trans. Amer. Math. Soc.* **344** (1994), 835--848.
- [25] O. Cornea, Strong LS category equals cone-length, *Topology* **34** (1995), 377--381.
- [26] M. C. Crabb, J. R. Hubbuck and Kai Xu, Fields of spaces, Adams Memorial Symposium on Algebraic Topology, 1 (1990), 241--254, LMS. Lecture Note 175, Cambridge Univ. Press, Cambridge, 1992.
- [27] O. Cornea, Some properties of the relative Lusternik-Schnirelmann category, Stable and unstable homotopy (Toronto, 1996), Fields Inst. Commun., **19** (1998), 67--72.
- [28] O. Cornea, G. Lupton, J. Oprea and D. Tanré, ``Lusternik-Schnirelmann category'', Mathematical Surveys and Monographs **103**, American Mathematical Society, Providence, RI, 2003.
- [29] M. Clapp and L. Montejano, Lusternik-Schnirelmann category and minimal coverings with contractible sets, *Manuscripta Math.* **58** (1987), no. 1-2, 37--45.
- [30] M. Clapp and D. Puppe, Invariants of the Lusternik-Schnirelmann type and the topology of critical sets, *Trans. Amer. Math. Soc.* **298** (1986), 603--620.
- [31] C. R. Curjel, A note on spaces of category  $\leq 2$ , *Math. Z.* **80** (1963), 293--299.
- [32] C. R. Curjel, On the homology decomposition of polyhedra, *Illinois J. Math.* **4** (1963), 121--136.
- [33] B. Eckmann, P. Hilton, Décomposition homologique d'un polyèdre simplement connexe, *C. R. Acad. Sci. Paris* **248** (1959), 2054--2056.
- [34] S. Eilenberg and T. Ganea, On the Lusternik-Schnirelmann category of abstract groups, *Ann. of Math.* (2), **65** (1957), 517--518.
- [35] E. Fadell and S. Husseini, Relative category, products and coproducts, *Rend. Sem. Mat. Fis. Milano* **64** (1994), 99--115 (1996).
- [36] E. Fadell and S. Husseini, Category weight and Steenrod operations (Spanish), *Bol. Soc. Mat. Mexicana* (2), **37** (1992), 151--161.
- [37] Y. Felix, S. Halperin and J.-M. Lemaire, The rational LS category of products and of Poincaré duality complexes, *Topology* **37** (1998), 749--756.
- [38] Y. Felix, S. Halperin and J.-C. Thomas, ``Rational Homotopy Theory'', Springer Verlag, Berlin, 2001, Graduate Texts in Math. **205**.
- [39] L. Fernández-Suárez, A. Gómez-Tato and D. Tanré, Hopf-Ganea invariants and weak LS category, *Top. Appl.* **115** (2001), 305--316.
- [40] L. Fernández-Suárez, A. Gómez-Tato, J. Strom and D. Tanré, The Lusternik-Schnirelmann category of  $Sp(3)$ , *Trans. Amer. Math. Soc.* **132** (2004), 587--595 (electronic).
- [41] A. Floer, Cuplength estimates on Lagrangian intersections, *Comm. Pure Appl. Math.* **42** (1989), 335--356.
- [42] A. Floer, Symplectic fixed points and holomorphic spheres, *Comm. Math. Phys.* **120** (1989), 575--611.
- [43] R. H. Fox, On the Lusternik-Schnirelmann category, *Ann. of Math.* (2) **42** (1941), 333--370.
- [44] R. H. Fox, Free differential Calculus I, *Ann. of Math.* **57** (1953), 547--560.
- [45] K. Fukaya and K. Ono, Arnold conjecture and Gromov-Witten invariant, *Topology* **38** (1999), 933--1048.

- [46] T. Ganea, Lusternik-Schnirelmann category and strong category, Illinois J. Math. **11** (1967), 417--427.
- [47] T. Ganea, Cogroups and suspensions, Invent. Math. **9** (1970), 185--197.
- [48] T. Ganea, Some problems on numerical homotopy invariants, In: ``Symposium on Algebraic Topology'', 23--30, Lecture Notes in Math. **249**, Springer Verlag, Berlin, 1971.
- [49] W.J. Gilbert, Some examples for weak category and conilpotency, Illinois J. Math. **12** (1968), 421-432.
- [50] M. Ginsburg, On the Lusternik-Schnirelmann category, Ann. of Math. (2), **77** (1963), 538--551.
- [51] D. Gonçalves, Mod 2 homotopy associative H-spaces, Geometric Applications of Homotopy Theory I, (Proc. Conf., Evanston Ill. 1977), Lect. Notes in Math. **657**, Springer Verlag, Berlin (1978) 198--216.
- [52] J. C. Gómez-Larrañaga and F. González-Acuña, Lusternik-Schnirelmann category of 3-manifolds, Topology **31** (1992), 791-800.
- [53] K. A. Hardie, A note on fibrations and category, Michigan Math. J. **17**, (1970), 351--352.
- [54] H. W. Henn, On almost rational co-H-spaces, Proc. Amer. Math. Soc. **87**, (1983), 164--168.
- [55] K. Hess, A proof of Ganea's Conjecture for Rational Spaces, Topology **30** (1991), 205--214.
- [56] P. Hilton, G. Mislin and J. Roitberg, On co-H-spaces, Comment. Math. Helv. **53** (1978), 1--15.
- [57] Y. Hirashima, A convenient axiom to convenient categories for homotopy theory, Math. J. Okayama U. **42** (2000) 115--122.
- [58] H. Hofer, Lusternik-Schnirelman-theory for Lagrangian intersections, Ann. Inst. H. Poincaré Anal. Non Linéaire **5** (1988), 465--499.
- [59] J. R. Hubbuck, On homotopy-commutative H-spaces, Topology **8** (1969) 119--126.
- [60] J. R. Hubbuck, Two examples on finite  $H$ -spaces, Geometric Applications of Homotopy Theory I, (Proc. Conf., Evanston Ill. 1977), Lect. Notes in Math. **657**, Springer Verlag, Berlin (1978) 282--291.
- [61] J. R. Hubbuck, Products with the seven sphere and homotopy associativity, Mem. Fac. Sci. Kyushu U. Ser. A **40** (1986), 91--100.
- [62] J. R. Hubbuck, Self maps of  $H$ -spaces, Advances in homotopy theory (Cortona, 1988), 105--110, London Math. Soc. Lecture Note Ser., 139, Cambridge Univ. Press, Cambridge, 1989.
- [63] J. R. Hubbuck and N. Iwase, A  $p$ -complete version of the Ganea conjecture on co-H-spaces, In: ``Lusternik-Schnirelmann category and related topics'' (South Hadley, MA, 2001), 127--133, Contemp. Math. **316**, 2002.
- [64] N. Iwase: On the ring structure of  $K^*(XP^n)$  (Japanese), Master Thesis, Kyushu University, Fukuoka, 1983.
- [65] N. Iwase: On the  $A_n$ -structures of mappings (Japanese), Research on unstable homotopy theory (Japanese) (Kyoto 1983), Sūri Kaiseki Kenkyūsho Kōkyūroku, **505** (1983), 63--75.
- [66] N. Iwase, On the  $K$ -ring structure of  $X$ -projective  $n$ -space, Mem. Fac. Sci. Kyushu U. (A) Math. **38** (1984), 285-297.
- [67] N. Iwase, Ganea's conjecture on Lusternik-Schnirelmann category, Bull. London Math. Soc. **30** (1998), 623--634.
- [68] N. Iwase, Co-H-spaces and the Ganea conjecture, Topology **40** (2001), 223--234.
- [69] N. Iwase,  $A_\infty$ -method in Lusternik-Schnirelmann category, Topology **41** (2002), 695--723.

- [70] N. Iwase, Lusternik-Schnirelmann category of a sphere-bundle over a sphere, *Topology* **42** (2003), 701--713.
- [71] N. Iwase and M. Mimura, Higher homotopy associativity, *Algebraic Topology*, (Arcata CA 1986), 193--220, *Lecture Notes in Math.* **1370**, Springer Verlag, Berlin, 1989.
- [72] N. Iwase and M. Mimura, L-S categories of 1 connected compact simple Lie groups of low rank, In: ``Algebraic Topology: Categorical Decomposition Techniques'', (Isle of Skye, 2001), 199-212, *Progr. Math.*, 215, Birkhäuser Verlag, Basel, 2004.
- [73] N. Iwase, M. Mimura and T. Nishimoto, On the cellular decomposition and the Lusternik-Schnirelmann category of  $Spin(7)$ , *Topology Appl.* **133** (2003), 1--15.
- [74] N. Iwase, M. Mimura and T. Nishimoto, L-S categories of non-1 connected compact simple Lie groups, preprint, 2004.
- [75] N. Iwase, D. Stanley and J. Strom, Implications of the Ganea Condition, *Algebr. Geom. Topol.*, **4** (2004), 829--839.
- [76] I. M. James, The topology of Stiefel manifolds, Cambridge University Press, Cambridge, 1976, London Math. Soc. Lec. Notes **24**.
- [77] I. M. James, On category, in the sense of Lusternik-Schnirelmann, *Topology* **17** (1978), 331-348.
- [78] I. M. James, Lusternik-Schnirelmann Category, In: ``Handbook of algebraic topology'', 1293-1310, North Holland, Amsterdam, 1995.
- [79] I. James and W. Singhof, On the category of fiber bundles, Lie groups, and Frobenius maps, In: ``Higher homotopy structures in topology and mathematical physics'' (Poughkeepsie, NY, 1996), 177--189, *Contemp. Math.* **227**, 1999.
- [80] B. Jessup, Rational L-S category and a conjecture of Ganea, *Trans. Amer. Math. Soc.* **317** (1990), 655--660.
- [81] H. Kadzisa, Cone-decompositions of the unitary groups, preprint, 2003.
- [82] H. Kadzisa, Cone-decompositions of the special unitary groups, preprint, 2003.
- [83] D. M. Kan, On monoids and their dual, *Bol. Soc. Math. Mex.* **3** (1958), 52--61.
- [84] G.M. Kelly, ``Basic concepts of enriched category theory'', London Math. Soc. Lecture Notes Series 64, Cambridge University Press (1982).
- [85] J. Klein, R. Schwänzl and R. M. Vogt, Comultiplication and suspension, *Topology Appl.* **77** (1997), 1--18.
- [86] K. Komatsu, On links whose complements have the Lusternik-Schnirelmann category one, *Hiroshima Math. J.* **24** (1994), 473--483.
- [87] K. Komatsu and T. Matumoto, Knot-link theory and Lusternik-Schnirelmann category, In: ``Algebra and topology 1992'' (Taejo`n), 211--216, Korea Adv. Inst. Sci. Tech., Taejo`n, 1992.
- [88] A. Kono and N. Iwase, Lusternik-Schnirelmann category of  $Spin(9)$ , preprint.
- [89] M. A. Krasnosel'skii, On special coverings of a finite-dimensional sphere (Russian), *Dokl. Akad. Nauk SSSR (N.S.)* **103** (1955), 961--964.
- [90] G. Liu and G. Tian, Floer homology and Arnold conjecture, *J. Differential Geom.* **49** (1998), 1--74.
- [91] L. Lusternik and L. Schnirelmann, ``Méthodes Topologiques dans les Problèmes Variationnels'', Hermann, Paris, 1934.

- [92] P. Lambrechts, D. Stanley and L. Vandembroucq, Embedding up to homotopy of two-cones into Euclidean space, *Trans. Amer. Math. Soc.* **354** (2002), 3973--4013.
- [93] S. Mac Lane, ``Homology'', Springer Verlag, Berlin, 1963.
- [94] S. MacLane, ``Categories for the working mathematician'', Springer Verlag, Berlin, GTM series **5**, 1971.
- [95] T. Matumoto, Lusternik-Schnirelmann category and knot complement, *J. Fac. Sci. Univ. Tokyo Sect. IA Math.* **37** (1990), 103--107.
- [96] T. Matumoto, Lusternik-Schnirelmann category and knot complement II, *Topology* **34** (1995), 177--184.
- [97] J. P. May, Fiberwise localization and completion, *Trans. Amer. Math. Soc.* **258** (1980), 127--156.
- [98] J. McCleary, ``A User's Guide to Spectral Sequences'', Math. Lec. Ser. **12**, Publish or Perish Inc., Wilmington Delaware (1985).
- [99] J. van Mill and G. M. Reed, ``Open problems in topology'', edited by J. van Mill and G.M. Reed, North-Holland Publishing Co., Amsterdam, 1990.
- [100] M. Mimura, ``Hopf Spaces'' (Japanese), Kinokuniya Shoten, Tokyo, 1986.
- [101] M. Mimura and T. Nishimoto, On the cellular decomposition of the exceptional Lie group  $G_2$ , *Proc. Amer. Math. Soc.* **130** (2002), 2451--2459.
- [102] L. Montejano, A quick proof of Singhof's  $\text{cat}(M \times S^1) = \text{cat}(M) + 1$  theorem, *Manuscripta Math.* **42** (1983), 49--52.
- [103] L. Montejano, Lusternik-Schnirelmann category: a geometric approach, *Geometric and algebraic topology*, 117--129, Banach Center Publ., **18**, PWN, Warsaw, 1986.
- [104] L. Montejano, Lusternik-Schnirelmann category and Hilbert cube manifolds, *Topology Appl.* **27** (1987), 29--35.
- [105] L. Montejano, Geometric category and Lusternik-Schnirelmann category, *Geometric topology and shape theory* (Dubrovnik, 1986), 183--192, Lecture Notes in Math., **1283**, Springer, Berlin, 1987.
- [106] L. Montejano, Categorical and contractible covers of polyhedra; some topological invariants related to the Lusternik-Schnirelmann category, *Conference on Differential Geometry and Topology* (Sardinia, 1988). *Rend. Sem. Fac. Sci. Univ. Cagliari* **58** (1988), 177--264.
- [107] N. Oda, Pairings and copairings in the category of topological spaces, *Publ. RIMS Kyoto U.* **28** (1992), 83--97.
- [108] S. Oka, The stable homotopy groups of spheres I, *Hiroshima Math. J.* **1** (1971), 305--337.
- [109] J. Oprea and Y. Rudyak, On the Lusternik-Schnirelmann category of symplectic manifolds and the Arnold conjecture, *Math. Z.* **230** (1999), 673--678.
- [110] J. Oprea and Y. Rudyak, Detecting elements and Lusternik-Schnirelmann category of 3-manifolds, In: ``Lusternik-Schnirelmann category and related topics'' (South Hadley, MA, 2001), 181--191, *Contemp. Math.* **316**, 2002.
- [111] Y. B. Rudyak, On the Ganea conjecture for manifolds, *Proc. Amer. Math. Soc.* **125** (1997), 2511--2512.
- [112] Y. B. Rudyak, On category weight and its applications, *Topology* **38** (1999), 37--55.
- [113] Y. Rudyak, On analytical applications of stable homotopy (the Arnold conjecture, critical points), *Math. Z.* **230** (1999), 659--672.

- [114] S. Saito, Notes on Co-H-spaces, *J. Fac. Sci. Shinshu U.* **6** (1971), 101--106.
- [115] S. Saito, On higher coassociativity, *Hiroshima Math. J.* **6** (1976), 589--617.
- [116] M. Sakai, A proof of the homotopy push-out and pull-back lemma, *Proc. Amer. Math. Soc.* **129** (2001), 2461--2466.
- [117] H. Scheerer, On rationalized H- and co-H-spaces, *Manuscripta Math.* **51** (1984), 63--87.
- [118] P. A. Schweitzer, Secondary cohomology operations induced by the diagonal mapping, *Topology* **3** (1965), 337--355.
- [119] C. S. Seshadri, Triviality of vector bundles over the affine space  $K^2$ , *Proc. Natl. Acad. Sci. U.S.* **44** (1958), 456--458.
- [120] W. Singhof, On the Lusternik-Schnirelmann category of Lie groups, *Math. Z.* **145** (1975), 111--116.
- [121] W. Singhof, On the Lusternik-Schnirelmann category of Lie groups II, *Math. Z.* **151** (1976), 143--158.
- [122] W. Singhof, Generalized higher order cohomology operations induced by the diagonal mapping, *Math. Z.* **162** (1978), 7--26.
- [123] W. Singhof, Minimal coverings of manifolds with balls, *Manuscripta Math.* **29** (1979), 385--415.
- [124] D. Stanley, Spaces with Lusternik-Schnirelmann category  $n$  and cone length  $n+1$ , *Topology* **39** (2000), 985--1019.
- [125] J. D. Stasheff, Homotopy associativity of H-spaces, I & II, *Trans. Amer. Math. Soc.* **108** (1963), 275--292; 293--312.
- [126] J. D. Stasheff, H-spaces from a Homotopy Point of View, *Lecture Notes in Math.* **161**, Springer Verlag, Berlin 1970.
- [127] N. E. Steenrod, Cohomology operations, *Annals of Mathematical Studies* **50**, Princeton University Press, Princeton, N.J. (1962).
- [128] J. Strom, Two special cases of Ganea's conjecture, *Trans. Amer. Math. Soc.* **352** (2000), 679--688.
- [129] J. Strom, Essential category weight and phantom maps, In: ``Cohomological methods in homotopy theory'' (Bellaterra, 1998), 409--415, *Progr. Math.*, 196, Birkhäuser Verlag, Basel, 2001.
- [130] M. Sugawara, On a condition that a space is an H-space, *Math. J. Okayama U.* **5** (1956/57), 109--129.
- [131] M. Sugawara, A condition that a space is group-like, *Math. J. Okayama U.* **7** (1957), 123--159.
- [132] D. Sullivan, ``Geometric Topology, Part I'', Localization and Galois Symmetry (3.1-4.42), M.I.T. Press, Cambridge, Massachusetts, 1970.
- [133] F. Takens, The minimal number of critical points of a function on a compact manifold and the Lusternik-Schnirelman category, *Invent. Math.* **6** (1968), 197--244.
- [134] F. Takens, The Lusternik-Schnirelman categories of a product space, *Compositio Math.* **22** (1970), 175--180.
- [135] H. Toda, Topology of standard path spaces and homotopy theory. I, *Proc. Japan Acad.* **29** (1953), 299--304.
- [136] H. Toda, Non-existence of mappings of  $S^{31}$  into  $S^{16}$  with Hopf invariant 1, *J. Inst. Polytech. Osaka City U. Ser. A* **8** (1957), 31--34.

- [137] H. Toda, ``Composition methods in homotopy groups of spheres'', Princeton U. Press, Princeton N.J., Ann. of math. studies **49**, 1962.
- [138] G. Toomer, Lusternik-Schnirelmann category and the Moore spectral sequence, Math. Z. **138** (1974), 123--153.
- [139] G. Toomer, Two applications of homology decompositions, Canad. J. Math. **27** (1975), 323--329.
- [140] L. Vandembroucq, Suspension of Ganea fibrations and a Hopf invariant, Topology Appl. **105** (2000), 187--200.
- [141] L. Vandembroucq, Fibrewise suspension and Lusternik-Schnirelmann category, Topology **41** (2002), 1239--1258.
- [142] K. Varadarajan, On fibrations and category, Math. Z. **88** (1965), 267--273.
- [143] K. Varadarajan, The Finiteness Obstruction of C.T.C. Wall, John Wiley & Sons, Inc., New York, 1989.
- [144] C. T. C. Wall, An obstruction to finiteness of *CW*-complexes, Bull. Amer. Math. Soc. **70** (1964), 269--270.
- [145] G. W. Whitehead, The homology suspension, In: ``Colloque de topologie algébrique, Louvain, 1956'', Georges Thone, Liège; 89--95, Masson & Cie, Paris, 1957.
- [146] G. W. Whitehead, ``Elements of Homotopy Theory'', Springer Verlag, Berlin, 1978, Graduate Texts in Mathematics **61**.
- [147] K. Xu, Space of rings, PhD Thesis at University of Aberdeen (1989).
- [148] A. Zabrodsky, ``Hopf spaces'', Notas de Matemática (59), North-Holland Publ. Co., Amsterdam, North-Holland Mathematics Studies, **22** (1976).